



P.O.B 1180: Kfar saba 44111, Israel  
 Plant: 3 Hashikma St. Kfar Saba,  
 Tel: +972-9-7676881, Fax: +972-9-7676882  
 E.mail: lsales@leeav.co.il  
 Web: [www.leeav.co.il](http://www.leeav.co.il)



**PROJECT SPECIFICATION FORM UML-51regular CONTROLLER**

Please mark  in the relevant square, In case of opposite doors - a cross section of shaft as well, and send it by fax or by email.

Customer Name: \_\_\_\_\_ Order No: \_\_\_\_\_ Job Name: \_\_\_\_\_ Delivery Req: \_\_\_\_\_

Type of Control: Hydraulic  Traction  2 Speeds  Vf Open Loop  Vf Close Loop   
 A.P.B  Down Collective  Full Collective  Simplex  Duplex  Triplex  Quadruplex

If Other Group Control Please Type: \_\_\_\_\_ No. of Stops: \_\_\_\_\_

Max Traveling Speed (m/sec) : 1  1.6  2.0  2.5  Other Speed: \_\_\_\_\_

If variable frequency please type the Name of the Driver: \_\_\_\_\_  
 Traction Motor Brake Voltage \_\_\_\_\_ (V) Motor Brake Economizer Resistor \_\_\_\_\_ (OHMS)  $\Omega$

If Hydraulic Please Name The Type Of The Pump \_\_\_\_\_ Evacuation Valve \_\_\_\_\_ (V)

Starting: Direct Start  Star/Delta  Soft-Start

Motor Power: \_\_\_\_\_ KW \_\_\_\_\_ HP \_\_\_\_\_ Amps

Electric Ratings: \_\_\_\_\_ (HZ) Mains Supply: \_\_\_\_\_ (V) Car Light: Vac \_\_\_\_\_

Others: \_\_\_\_\_

**Doors:** Car Door Operator: Automatic  Without Door  Type Of Door Operator : \_\_\_\_\_

Shaft Doors: Automatic  Manual  Type Of Shaft doors: \_\_\_\_\_

Car Door Dc Braking Resistor  Car Door Braking Voltage: \_\_\_\_\_ V \_\_\_\_\_ A

Opposite Two-Side Doors Operation , ( Normal , Selective  )

<u>Safeties (Volt)</u>	<u>Retiring Cam (Vdc/Vac)</u>	<u>Signalization (Vdc)</u>	<u>Door Motor</u>	<u>Motor Fan</u>
48 <input type="checkbox"/>	48 <input type="checkbox"/>	18 <input type="checkbox"/>	3*110 <input type="checkbox"/>	1*220 <input type="checkbox"/>
60 <input type="checkbox"/>	60 <input type="checkbox"/>	24 <input type="checkbox"/>	3*125 <input type="checkbox"/>	2*220 <input type="checkbox"/>
80 <input type="checkbox"/>	80 <input type="checkbox"/>		3*220 <input type="checkbox"/>	3*380 <input type="checkbox"/>
110 <input type="checkbox"/>	110 <input type="checkbox"/>		3*380 <input type="checkbox"/>	
Other _____	Other _____	Other _____	Other _____	Other _____

Comments: \_\_\_\_\_

**Floor Position Indicators:**

SSD-3 ( 1.5 Inch 1 Digit )  SSD-4 (1.5 Inch 2 Digits)  SSD-13(2 Inch 1 Digit) , Quantity: \_\_\_\_\_

SDS-23 ( 2 Inch 1 Digit )  SDS-23A(2 Inch 1Digit+Arrows)  SDS-24(2 Inch 2Digits)

SDS-24A ( 2Inch 2Digits+Arrows )  Quantity: \_\_\_\_\_

SDS-2A (Direction Arrows)  Quantity: \_\_\_\_\_ SSGN(2 Sound Gong) , Quantity: \_\_\_\_\_

Position Indicators Marks: \_\_\_\_\_

**Special Functions:**

Out of service  Independent  Attendant  Loading Control  Door Close  Nudging

Pre-opening  Re-Leveling  Generator  Power Factor Capacitor (COS f)

Thermistor Amplifier  Sanitar  Car Analogue Weighing Adaptor(4:20ma) ,

Monitoring System (Machine Room , Information Desk )

Observations \_\_\_\_\_

Name: \_\_\_\_\_ Date: \_\_\_\_\_ Signature: \_\_\_\_\_